


## Tubes with oval profile according to DIN EN 10305-3

Profiled tubes of steel DIN EN 10305-3 E 195, S3, welded and calibrated, galvanic finish with nickel-chrome, powder-coated, nickel, mat nickel, aluminium look.

Tubes in fixed dimensions Tol. +0/-1 mm.



Flat-oval tubes 30x15 mm

### Packaging

Separately in paper or PE hose, 10 pieces bundled. If desired, different packaging is also possible.

Art. No.	dimension	insulation thickness	length	meter/coil	surface	request for quotation
01.070.20	30x15	0,7	2000	20	NC,P,N,MN,AL	<a href="#">mark</a>
01.070.25	30x15	0,7	2500	25	NC,P,N,MN,AL	<a href="#">mark</a>
01.070.30	30x15	0,7	3000	30	NC,N,MN,AL	<a href="#">mark</a>
01.080.25	30x15	0,8	2500	25	NC,P,N,MN,AL	<a href="#">mark</a>
01.080.50	30x15	0,8	5000	50	NC,N	<a href="#">mark</a>
01.100.25	30x15	1,0	2500	25	NC,P,N,MN,AL	<a href="#">mark</a>
01.100.50	30x15	1,0	5000	50	NC,N	<a href="#">mark</a>
01.120.12	30x15	1,2	1200	120	NC,P,N,MN,AL	<a href="#">mark</a>
01.120.15	30x15	1,2	1500	150	NC,P,N,MN,AL	<a href="#">mark</a>
01.150.20	30x15	1,2	2000	150	NC,P,N,MN,AL	<a href="#">mark</a>
01.120.25	30x15	1,2	2500	25	NC,P,N,MN,AL	<a href="#">mark</a>
01.120.50	30x15	1,2	5000	50	NC,N	<a href="#">mark</a>
01.150.25	30x15	1,5	2500	25	NC,P,N,MN,AL	<a href="#">mark</a>
01.150.50	30x15	1,5	5000	50	NC,N	<a href="#">mark</a>
01.200.50	30x15	2,0	5000	500	NC,N	<a href="#">mark</a>


You can't find your product? Take a look at our [delivery programme](#)

## Round precision steel tubes according to DIN EN 10305-3

Profiled tubes of steel DIN EN 10305-3 E 195, S3, welded and calibrated, galvanic finish with nickel-chrome, powder coated, nickel, mat nickel, aluminium look.

Tubes fixed dimensions To.. +0/-1 mm

On request we are able to offer different closet tube inventories.



### Packaging:

Seperately in paper or PE hose, 10 pieces bundled. If desired, different packaging is also possible.

### Length:

The tubes are produced in standard length of 5900 mm. If desired, different lengths are also available.

### Dimensions:

The tubes are produced in standard dimensions, as shown in the table. Different dimensions are available on request. ([delivery programme](#))

Art. No.	average	insulation thickness	length	meter/coil	surface	request for quotation
03.14.125.59	14	1,25	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.15.150.59	15	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.16.150.59	16	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.18.125.59	18	1,25	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>

03.18.150.59	18	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.20.150.59	20	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.20.200.59	20	2,0	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.22.150.59	22	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.22.200.59	22	2,0	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.25.150.59	25	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.25.200.59	25	2	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.28.150.59	28	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.30.150.59	30	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.30.200.59	30	2,0	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.32.200.59	32	2,0	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.32.150.59	35	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.35.200.59	35	2,0	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.40.150.59	40	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.40.200.59	40	2,0	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.50.200.59	50	2,0	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.60.150.59	60	1,5	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>
03.60.200.59	60	2,0	5900	59,00	NC,P,N,MN,AL	<a href="#">mark</a>

You can't find your product? Take a look at our [delivery programme](#) .

### Ellipsoidal oval tubes accoding to DIN EN 10305-3

Profiled tubes of steel DIN EN 10305-3 E 195, S3, welded and calibrated, galvanic finish with nickel-chrome, powder coated, nickel, mat nickel, aluminium look. Tubes fixed dimensions To.. +0/-1 mm



#### Packaging:

Seperately in paper or PE hose, 10 pieces bundled. If desired, different packaging is also possible.

Art. No.	dimension	radius	length	meter/coil	surface	request for quotation

Spitzellipse	35x20	6,25	5000	500	NC,N	<a href="#">mark</a>
Spitzellipse	35x20	6,25	2500	250	NC,P,N,MN,AL	<a href="#">mark</a>
Rundellipse	35x20	8,0	5000	500	NC,N	<a href="#">mark</a>
Rundellipse	35x20	8,0	2500	500	NC,P,N,MN,AL	<a href="#">mark</a>

You can't find your product? Take a look at our [delivery programme](#).

## Tubes with oval profile according to DIN EN 10305-3

section thickness in mm											
outer Ø in mm	Ø	0,6	0,7	0,8	0,9	1,0	1,2	1,5	1,8	2,0	2,5
theoretical weight in meter/kg											
20x10	16	0,228	0,264	0,300	0,335	0,370	0,438	0,536	0,630	0,691	
20x15	18	0,257	0,299	0,339	0,380	0,419	0,497	0,610	0,719	0,789	
22x12	18	0,257	0,299	0,339	0,380	0,419	0,497	0,610	0,719	0,789	
22x14	20	0,287	0,333	0,379	0,424	0,469	0,556	0,684	0,808	0,888	
23x13	19	0,272	0,316	0,359	0,402	0,444	0,527	0,647	0,764	0,838	
25x10	19	0,272	0,316	0,359	0,402	0,444	0,527	0,647	0,764	0,838	
25x12	20	0,287	0,333	0,379	0,424	0,469	0,556	0,684	0,808	0,888	
25x15	22	0,317	0,368	0,418	0,468	0,518	0,616	0,758	0,897	0,986	
30x10	23	0,331	0,385	0,438	0,491	0,543	0,645	0,795	0,941	1,036	
30x14	24		0,402	0,458	0,513	0,567	0,675	0,832	0,985	1,085	
30x15	25		0,419	0,477	0,535	0,592	0,704	0,869	1,030	1,134	
30x20	26,5		0,445	0,507	0,568	0,629	0,749	0,925	1,096	1,208	
33x10	25		0,419	0,477	0,535	0,592	0,704	0,869	1,030	1,134	
35x12	27		0,454	0,517	0,579	0,641	0,764	0,943	1,119	1,233	
35x15	28		0,471	0,537	0,601	0,666	0,793	0,980	1,163	1,282	
35x20	30			0,576	0,646	0,715	0,852	1,054	1,252	1,381	
36x18	30			0,576	0,646	0,715	0,852	1,054	1,252	1,381	
38x20	32			0,616	0,690	0,765	0,911	1,128	1,341	1,480	
40x14	30			0,576	0,646	0,715	0,852	1,054	1,252	1,381	

40x20	33			0,635	0,712	0,789	0,941	1,165	1,385	1,529	1,880
40.8x20.1	33,5			0,645	0,724	0,801	0,956	1,184	1,407	1,554	1,911
45x15	34			0,655	0,735	0,814	0,971	1,202	1,429	1,578	1,942
45x17	35				0,757	0,838	1,000	1,239	1,474	1,628	2,004
50x20	40				0,846	0,937	1,119	1,387	1,651	1,825	2,250
56x11	40				0,868	0,962	1,148	1,424	1,696	1,874	2,312
50x25	42				0,912	1,011	1,207	1,498	1,785	1,973	2,435
50x30	43					1,036	1,237	1,535	1,829	2,022	2,497
60x20	48					1,159	1,385	1,720	2,051	2,269	2,805
60x30	50					1,208	1,444	1,794	2,140	2,368	2,929
66x20	50					1,208	1,444	1,794	2,140	2,368	2,929
70x11	48					1,159	1,385	1,720	2,051	2,269	2,805
80x20	58					1,406	1,681	2,090	2,495	2,762	3,422
80x25	60					1,455	1,740	2,164	2,584	2,861	3,545
110x25	80					1,948	2,332	2,904	3,471	3,847	4,778



### Round precision steel tubes according to DIN EN 10305-3

Profiled tubes of steel DIN EN 10305-3 E 195, S3, welded and calibrated.

#### Length:

The tubes are produced in manufacturing lengths of 6000 mm. Different lengths are available if desired. The maximum adaption length for nickel chrome, in our house, is 5950 mm (Tol. /+1 mm)

section thickness in mm											
D.inches	Ø in mm	0,6	0,7	0,8	0,9	1,0	1,2	1,5	1,8	2,0	2,5
theoretical weight in meter/kg											







<b>25x17</b>	21	0,350	0,399	0,446	0,493	0,586	0,721	0,852	0,937
<b>26x17</b>	22	0,368	0,418	0,468	0,518	0,616	0,758	0,897	0,986
<b>30x15</b>	23	0,385	0,438	0,491	0,543	0,645	0,795	0,941	1,036
<b>30x18</b>	25	0,419	0,477	0,535	0,592	0,704	0,869	1,030	1,134
<b>31x19</b>	25	0,419	0,477	0,535	0,592	0,704	0,869	1,030	1,134
<b>32x18</b>	25	0,419	0,477	0,535	0,592	0,704	0,869	1,030	1,134
<b>33x16</b>	26	0,437	0,497	0,557	0,617	0,734	0,906	1,074	1,184
<b>35x20</b>	28	0,471	0,537	0,601	0,666	0,793	0,980	1,163	1,282
<b>36x12</b>	26,2	0,440	0,501	0,562	0,621	0,740	0,914	1,083	1,194
<b>38x27</b>	33		0,635	0,712	0,789	0,941	1,165	1,385	1,529
<b>39x31</b>	35		0,675	0,757	0,838	1,000	1,239	1,474	1,628
<b>40x20</b>	30		0,576	0,646	0,715	0,852	1,054	1,252	1,381
<b>40.5x15.5</b>	30		0,576	0,646	0,715	0,852	1,054	1,252	1,381
<b>45x15</b>	32		0,616	0,690	0,765	0,911	1,128	1,341	1,480
<b>74x32</b>	55		1,069	1,201	1,332	1,592	1,979	2,362	2,614
<b>75x25</b>	54				1,307	1,563	1,942	2,317	2,565
<b>100x50</b>	76				1,850	2,214	2,756	3,294	3,650